

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING OF DIAMOND AND COLORED STONES

EDUCATIONAL PROGRAMS

NUMBER

Expertise issued under license of IGI Antwerp 1/7 Schupstraat, 2018 Antwerp - Belgium Tel. +32 3 401 08 88 - Fax +32 3 232 07 58 Email : info@igi.org www.igi.org

LG444085855

ELECTRONIC COPY

LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

ANTWERP, September 30, 2020

LABORATORY REPORT (ORIGINAL)

LABORATORY GROWN DIAMOND

ROUND BRILLIANT

3.03 CARATS

D

VVS 2

TO WHOM IT MAY CONCERN

DESCRIPTION SHAPE AND CUT

CARAT WEIGHT COLOR GRADE CLARITY GRADE CUT GRADE

POLISH

SYMMETRY

Measurements Table Size Crown Height - Angle Pavilion Depth - Angle Girdle Thickness Culet Total Depth FLUORESCENCE COMMENTS

LASERSCRIBE


IDEAL EXCELLENT EXCELLENT 9.22 - 9.27 x 5.74 mm 58% 15.5% - 36° 43% - 40.8° MEDIUM (FACETED) POINTED 62% NONE This Laboratory grown diamond was created by high pressure high temperature process (HPHT) Type II

Internally Flawless

E F G

н

The symbols do not usually reflect the size of the characteristics. Red symbols indicate internal characteristics. Green symbols indicate external characteristics.



insignificant **external** details, visible under high magnification only, are not shown



Om Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.

/VS1		vvs ₂ vs ₁		VS ₂		SI	SI2		η	¹ 2	I ₃		
I.	J	К	L	М	N	0	Р	Q	R	S - Z	FANCY	COLOR	

PROPORTIONS - MARGIN: ± 1%

CLARITY GRADE

COLOR GRADE :

MEASUREMENTS - MARGIN: ± 0.02mm

D

LABGROWN IGI LG444085855

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers. This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight. **THIS REPORT IS NEITHER A GUARANTEE, VALUATION NOR APPRAISAL OF THE LABORATORY GROWN DIAMOND DESCRIBED HEREIN This report is subject to the terms and conditions set forth above and on reverse.**

© IGI, 2000, edition 2017 All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.